ELSEVIER

Volumes 275–276, 1 July 1998

Inorganica Chimica Acta

Contents

Preface xxi

Stereoselectivity in reactions of metal complexes
Part XXI. Kinetics and mechanism of electron transfer between *rac*-[Co(L)H_2O]$^+$ (L = *N*,*N*'-[(pyridine-2,6-diyl)bis(methylene)]-bis[amino acid]) and optically active iron(II) complexes 1
K. Bernauer, D. Hugi-Cleary, H.J. Hilgers, H. Abd-el-Khalek, N. Brügger, C. Kressl



Stereoselectivity in reactions of metal complexes
Part XXII. Kinetics and mechanism of electron-transfer reactions between *rac*-[Co(L)X]$^+$ (L = [(pyridine-2,6-diyl)bis(methylene)]bis[amino acid]; X = pyridine, imidazole, 1-methyl-imidazole and pyrazine) and optically active iron(II) complexes 9
H.J. Hilgers, K. Bernauer



A tripod gadolinium(III) poly(amino carboxylate) relevant to magnetic resonance imaging: structural and dynamical ^{17}O NMR and ^1H NMRD studies 15
R. Ruloff, R.N. Muller, D. Pubanz, A.E. Merbach



Magnesium activation of nuclease enzymes — the importance of water 24
J.A. Cowan



Elsevier Science S.A.

Crystal structure, EPR and magnetic susceptibility studies of tetrakis[μ-(β-alanine)-*O,O'*]dichlorodicopper(II) dichloro monohydrate 28
J. Jezierska, T. Głowiak, A. Ożarowski, Y.V. Yablokov, Z. Rzączyńska



Potentiometric and computer studies of yttrium–EDTMP 37
G.C. de Witt, P.M. May, J. Webb, G. Hefter



Polymeric and dimeric magnetic properties of square planar Cu(II) species controlled by hydrogen bond networks: $[Cu^{II}\{OCO\text{-}2,6\text{-}(CH_3CONH)_2C_6H_3\}_2(H_2O)_2]\cdot nH_2O$ ($n = 1, 4$) 43
Y. Yamada, N. Ueyama, T. Okamura, W. Mori, A. Nakamura



Desulfoviridin, the dissimilatory sulfite reductase from *Desulfovibrio desulfuricans* (Essex): new structural and functional aspects of the membranous enzyme 52
J. Steuber, P.M.H. Kroneck



Effect of pyridine on the alkaline isomerization of cytochrome *c* 58
J. Lu, G. Liu, Y. Chen, W. Tang, D. Zhu



The structure of the azide coordinated superoxide dismutase of *Propionibacterium shermanii* investigated by X-ray structure analysis, extended X-ray absorption fine structure, Mössbauer and electron paramagnetic resonance spectroscopy 65
M. Schmidt, C. Scherk, O. Iakovleva, H.F. Nolting, B. Meier, F. Parak



Homology predicted structure and comparison with the secondary structure from NMR data for plastocyanin from the cyanobacterium *Synechocystis* sp. PCC 6803 73
A. Donaire, H.R. Jiménez, J.M. Moratal, M.A. De la Rosa, M. Hervás, J.A. Navarro, D. Monleón, R. Tejero, B. Celda

The Co–CH_3 bond in Schiff base B_{12} models: influence of the *trans* and equatorial ligands as assessed by Fourier transform Raman spectroscopy 90
S. Hirota, E. Kosugi, L.G. Marzilli, O. Yamauchi



Reversible formation of high-valent-iron-oxo porphyrin intermediates in heme-based catalysis: revisiting the kinetic model for horseradish peroxidase 98
M.J.H. van Haandel, J.-L. Primus, C. Teunis, M.G. Boersma, A.M. Osman, C. Veeger, I.M.C.M. Rietjens



New non-ionic water-soluble porphyrins: evaluation of manganese(III) polyhydroxylamide porphyrins as MRI contrast agents ... 106
J.E. Bradshaw, K.A. Gillogly, L.J. Wilson, K. Kumar, X. Wan, M.F. Tweedle, G. Hernandez, R.G. Bryant



Electrochemical and photophysical properties of two-component coordination compounds containing a metallocyclam and an $Re^{I}(bipy)(CO)_3Cl$ subunit 117
I. Costa, L. Fabbrizzi, P. Pallavicini, A. Poggi, A. Zani



Hydrothermal synthesis and structural characterization of the three-dimensional framework solids $(NH_4)[V_2(OH)(PO_4)_2(H_2O)]\cdot H_2O$ and $Rb_6[(Mo_9V_3O_6)(PO_4)_{10}(H_2PO_4)_3(OH)_9]\cdot 8.5H_2O$ 122
V. Soghomonian, L.A. Meyer, R.C. Haushalter, J. Zubieta



Coordination chemistry of polyhydroxy acids: role of the hydroxy groups 130
T. Gajda, B. Gyurcsik, T. Jakusch, K. Burger, B. Henry, J.-J. Delpuech



Synthesis of binuclear platinum(II) organometallic complexes as potential cross-linking reagents 141
G. Cafeo, C. Lo Passo, L. Monsù Scolaro, I. Pernice, R. Romeo



X-ray absorption spectroscopic studies of the binding of ligands to FeMoco of nitrogenase from *Klebsiella pneumoniae* 150
I. Harvey, R.W. Strange, R. Schneider, C.A. Gormal, C.D. Garner, S.S. Hasnain, R.L. Richards, B.E. Smith



Structure and reactivity of reconstituted myoglobins: interaction between protein and polar side chain of chemically modified hemin 159
T. Hayashi, T. Takimura, Y. Aoyama, Y. Hitomi, A. Suzuki, H. Ogoshi



Binding properties and crystal structures of azamacrocycles containing nitrophenol side arms 168
P. Dapporto, V. Fusi, M. Micheloni, P. Palma, P. Paoli, R. Pontellini



Characterization of the active site of galactose oxidase and its active site mutational variants Y495F/H/K and W290H by circular dichroism spectroscopy 175
M.S. Rogers, P.F. Knowles, A.J. Baron, M.J. McPherson, D.M. Dooley



Synthesis, UV–visible and electrochemical studies of lipophilic and hydrophilic lanthanide(III) bis(porphyrinates) 182
G.A. Spyroulias, D. de Montauzon, A. Maisonat, R. Poilblanc, A.G. Coutsolelos



Gas-phase positive and negative ion chemistry of methyl hydroperoxide..... 192
M. Aschi, M. Attinà, F. Cacace, R. Cipollini, F. Pepi



Nucleophilic attack within Ge, Sn and Pb complexes containing $Me_2N(CH_2)_3$ — as a potential intramolecular donor ligand..... 203
A. Zickgraf, M. Beuter, U. Kolb, M. Dräger, R. Tozer, D. Dakternieks, K. Jurkschat



X_{ax}	d(N----Sn)
Cl	2.578(4)
OPh	2.569(2)
Br	2.555(7)
I	2.541(5)

Structural characterization of the zinc site in *Escherichia coli* L-threonine dehydrogenase using extended X-ray absorption fine structure spectroscopy 215
K. Clark-Baldwin, A.R. Johnson, Y.-W. Chen, E.E. Dekker, J.E. Penner-Hahn



X-ray crystallographic and absorption spectroscopic analyses of structures of catecholato(pyridine)iron chloride complexes in relevance to functional model complexes for catechol 1,2-dioxygenases..... 222
T. Funabiki, Y. Nagai, H. Kojima, T. Tanaka, S. Yoshida, H. Masuda



Thermodynamics of reduction of *Chromatium vinosum* high-potential iron–sulfur protein and its histidine depleted H42Q mutant 230
E. Babini, M. Borsari, F. Capozzi



Sterically hindered iron(II) complex of a new tripodal polyimidazole ligand: structure and reactivity toward superoxide 234
I. Morgenstern-Badarau, F. Lambert, A. Deroche, M. Cesario, J. Guilhem, B. Keita, L. Nadjo



Interaction of organometallic cationic complex ions containing terpyridine ligands with nucleic acids: an investigation on aggregative phenomena 242
M. Casamento, G.E. Arena, C. Lo Passo, I. Pernice, A. Romeo, L. Monsù Scolaro



Spectroscopic study of the compound ES and the oxoferryl compound II states of cytochrome *c* peroxidase: comparison with the compound II of horseradish peroxidase 250
A.E. Pond, G.S. Bruce, A.M. English, M. Sono, J.H. Dawson



The effect of surface charge on the reduction potential and heme propionate ionization of a monoheme cytochrome: spectroscopic and potentiometric studies of trifluoroacetylated cytochrome c_{551} from *Pseudomonas aeruginosa* 256
C. Costa, G.R. Moore



Structural preferences of η^4-dienecyclopentadienyl complexes: molecular mechanics, molecular orbital and crystallographic studies 263
V. Félix, M.J. Calhorda, M.G.B. Drew, I.S. Gonçalves, C.C. Romão



ESR and NMR investigation of structure and dynamics of the Cu(II) complex of melanostatin in DMSO solution 274
R. Basosi, E. Gaggelli, N. Gaggelli, R. Pogni, G. Valensin



Tetrahedral coordination by a seven-membered chelate ring 279
V. Broughton, G. Bernardinelli, A.F. Williams



Spectroscopic distinction between two Co(II) ions substituted for types 1 and 2 Cu in nitrite reductase 289
S. Suzuki, Deligeer, K. Yamaguchi, K. Kataoka, S. Shidara, H. Iwasaki, T. Sakurai



A ternary complex of carbonic anhydrase: X-ray crystallographic structure of the adduct of human carbonic anhydrase II with the activator phenylalanine and the inhibitor azide 295
F. Briganti, V. Iaconi, S. Mangani, P. Orioli, A. Scozzafava, G. Vernaglione, C.T. Supuran



Miniaturized hemoproteins: design, synthesis and characterization of mimochrome II 301
A. Lombardi, F. Nastri, M. Sanseverino, O. Maglio, C. Pedone, V. Pavone



Molecular Model of Mimochrome II

Metallodrug complexes that mediate DNA and lipid damage via sulfite autoxidation: copper(II) famotidine and iron(III) bis-(salicylglycine) 314
J.G. Muller, C.J. Burrows



Crystal and molecular structure of $[Ru(bpy)_2(2,3\text{-dpp})]Cl_2 \cdot 3H_2O \cdot CH_3CN$ and ^1H and ^{99}Ru NMR spectra of $[Ru(bpy)_2(2,n\text{-dpp})][PF_6]_2$ (bpy = 2,2′-bipyridine, dpp = bis-(2-pyridyl)pyrazine, $n = 3$ or 5) 320
M. Belicchi Ferrari, G. Gasparri Fava, G. Pelosi, G. Predieri, C. Vignali, G. Denti, S. Serroni



Carbonyl bonding on ZnO(0001), CuCl(111) and Cu_2O(111) $3d^{10}$ metal ion surfaces: photoelectron spectroscopy of CO/Cu_2O(111) and electronic structure calculations 327
P.M. Jones, J.A. May, E.I. Solomon



Mössbauer spectroscopy with synchrotron radiation: a new technique entering biological inorganic chemistry 334
H. Grünsteudel, M. Haas, O. Leupold, D. Mandon, B.F. Matzanke, W. Meyer-Klaucke, H. Paulsen, E. Realo, H.D. Rüter, A.X. Trautwein, R. Weiss, H. Winkler



Synthesis, X-ray structure and bonding of tris(2,2-6,6-tetramethyl-heptane-3,5-dionato) bismuth(III) 340
L. Armelao, G. Bandoli, M. Casarin, G. Depaoli, E. Tondello, A. Vittadini



Dynamic properties of bovine Cu,Zn superoxide dismutase from crystallographic data 349
L. Parri, S. Mangani



4′-(4-Fluorophenyl)-2,2′:6′,2″-terpyridine — an aryl-2,2′:6′,2″-terpyridine with an electron-releasing aryl substituent 359
E.C. Constable, M. Neuburger, D.R. Smith, M. Zehnder



The role of cyclo-triphosphorus (P_3) in-plane σ orbitals in coordinating transition metal fragments 366
C. Mealli, F. Costanzo, A. Ienco, M. Peruzzini, E. Perez-Carreño



Selective versus non-selective T_1 experiments to determine metal–nucleus distances in paramagnetic metalloproteins 373
L. Banci, C. Luchinat



Resonance Raman investigation of mixed-valence dinuclear and trinuclear complexes of Ru, Os and Re 380
C.A. Bignozzi, R. Argazzi, G.F. Strouse, J.R. Schoonover



Novel palladium(II) allyl complexes with nitrogen–sulfur donor bidentate ligands. Mechanism of allyl amination of [Pd(η^3-allyl)(N-SR)]ClO_4 (allyl = C_3H_5; N-SR = C_5H_4N-2-CH_2SR, R = C_6H_5, C_2H_5) in the presence of activated olefins. X-ray structure determination and fluxional behavior 385
L. Canovese, F. Visentin, P. Uguagliati, G. Chessa, V. Lucchini, G. Bandoli



L- and D-Cysteine derivatives of β-cyclodextrin: different molecular recognition properties of their copper(II) complexes for amino acids 395
T. Campagna, G. Grasso, E. Rizzarelli, G. Vecchio

Copper(I) and copper(II) complexes of polydentate phosphinoamines 401
F. Tisato, G. Pilloni, F. Refosco, G. Bandoli, C. Corvaja, B. Corain

Boat versus chair conformation in *N*-methyl- and *N,N'*-dimethylpiperazine platinum(II) complexes studied by X-ray analysis. A rare example of metal chelate piperazine: *cis*-[$PtCl_2(Me_2ppz)$] Part I 410
A. Ciccarese, D.A. Clemente, F.P. Fanizzi, A. Marzotto, G. Valle



Synthesis and molecular structure of *N*-methylpiperazinium(+1) and *N,N'*-dimethylpiperazinium(+2) platinum(II) and platinum(IV) complexes
Part II 419
A. Ciccarese, D.A. Clemente, F.P. Fanizzi, A. Marzotto, G. Valle



Synthesis of porphyrin–spacer–quinone compounds via metal-mediated cross-coupling: new systems for probing the relative magnitudes of axial and equatorial electronic coupling at the porphyrin macrocycle in thermal and photoactivated electron transfer reactions..... 427
A.G. Hyslop, M.J. Therien



Study of the relative π-acceptor ability of unsaturated ligands $:C(=C)_nPh_2$ ($n=0$, 1, 2 and 4) based on cyclic voltammetry of complexes *trans*-[RhCl(L)(P^iPr_3)$_2$] (L = $:C(=C)_nPh_2$, C_2H_4 and CO) 435
I. Kovacik, O. Gevert, H. Werner, M. Schmittel, R. Söllner



Potentiometric and spectroscopic studies on the copper(II) and nickel(II) complexes of tripeptides of methionine..... 440
K. Várnagy, B. Bóka, I. Sóvágó, D. Sanna, P. Marras, G. Micera



Syntheses and structures of some Ru_2^{5+} complexes containing weakly coordinating anions as axial ligands 447
F.A. Cotton, J. Lu, A. Yokochi



Oxidations in the H_2O_2/V^V/AcOH system. Evidence of vanadium(V) complexes with superoxide anion and singlet dioxygen molecule as ligands..... 453
A.E. Gekhman, I.P. Stolarov, N.I. Moiseeva, V.L. Rubaijlo, M.N. Vargaftik, I.I. Moiseev



Characterisation of covalent copper and manganese organometallic complexes with Schiff bases by ionspray mass spectrometry..... 462
A. Raffaelli, F. Minutolo, B.L. Feringa, P. Salvadori



Electron tunneling in Ru-modified His46Asp azurin. Coupling through the Cu ligands..... 470
J.J. Regan, A.J. Di Bilio, J.R. Winkler, J.H. Richards, H.B. Gray



Zinc as a structural and folding element of proteins which interact with DNA..... 481
M. Junker, K.K. Rodgers, J.E. Coleman



Spectroscopic investigations on the water-soluble fragment of the Rieske [2Fe–2S] protein from *Paracoccus denitrificans*..... 493
S. de Vries, A. Cherepanov, A. Berg, G.W. Canters



Five-coordinate platinum(II) alkyne complexes: synthesis, ab initio calculations and crystal and molecular structure of $[PtI_2(Me_2phen)(\eta^2\text{-}PhC{\equiv}CPh)]\cdot CHCl^3$..... 500
F.P. Fanizzi, G. Natile, M. Lanfranchi, A. Tiripicchio, G. Pacchioni



Influence of *cis*- and *trans*-diamminedichloroplatinum(II) binding on the helix-coil transition of DNAs with different GC content 510
S.G. Haroutiunian, E.B. Dalian, V.F. Morozov, Eu.Sh. Mamasachlissov, M.S. Shahinian, A.A. Akhrem, D.Y. Lando, L. Messori, P. Orioli



Reactions of platinum(II)–alkyne and –alkynyl complexes with the hydroxy compounds $HO(CH_2)_2X$ (X = Br, I, OH) 515
U. Belluco, R. Bertani, S. Fornasiero, R.A. Michelin, M. Mozzon



X = Br , I , OH ; R = *p*-tolyl

NMR characterization of four new isomers of $H(\mu\text{-}H)Os_3(CO)_{10}$(phosphine) 521
S. Aime, R. Gobetto, E. Valls



○ Coordination sites for a Phosphine

Toward a novel metal based chemotherapy against tropical diseases 4. Synthesis and characterization of new metal-clotrimazole complexes and evaluation of their activity against *Trypanosoma cruzi* .. 528
R.A. Sánchez-Delgado, M. Navarro, K. Lazardi, R. Atencio, M. Capparelli, F. Vargas, J.A. Urbina, A. Bouillez, A.F. Noels, D. Masi



Notes

Kanamycin revisited: a combined potentiometric and spectroscopic study of copper(II) binding to kanamycin B 541
M. Jeżowska-Bojczuk, W. Bal, H. Kozłowski



Synthesis and X-ray crystal structure of an oxorhenium(V) complex with a double Schiff base 546
M. Shivakumar, S. Banerjee, M. Menon, A. Chakravorty



EPR characterization of a series of mono- and bis-thiosemicarbazone copper(II) complexes 552
A. Diaz, R. Pogni, R. Cao, R. Basosi



Cu(II)-AITSC CuRbTSC

Three reactions of Ru_2^{5+} compounds of the paddlewheel type that lead to cleavage of the Ru–Ru bond..... 557
F.A. Cotton, A. Yokochi



Conference Calendar 563
Contents of Part 1..... 565
Contents of Part 2..... 573
Cumulative Author Index (Parts 1–3) 583

The publisher encourages the submission of articles in electronic form thus saving time and avoiding rekeying errors. A leaflet describing our requirements is available from the publisher upon request

CONTENTS DIRECT

ContentsDirect, the *free* e-mail alerting service, delivers the table of contents for this journal directly to your PC, prior to publication. The quickest way to register for **Contents Direct** is via the Internet at: **http://www.elsevier.nl/locate/ContentsDirect**. If you don't have access to the Internet you can register for this service by sending an e-mail message to cdsubs@elsevier.co.uk – specifying the title of the publication you wish to register for.